# **Darling Downs Soaring Club Inc**



www.gogliding.org.au ABN 71 449 795 568 PO Box 512 ANNERLEY QLD 4103

# Visiting Pilot's Information Sheet

Deliner have temperature membership of Cliding Australia (CA) and Darline	ı Downs
Join or have temporary membership of Gliding Australia (GA) and Darling Soaring Club or another Australian GA affiliated club.	<i>j</i> DOWIIS
☐ Produce your logbook, GPC or Foreign License.	
lacksquare Read this briefing sheet and be checked on it by one of our instructors.	
lacksquare Have a site check with one of our instructors if requested.	
Have a clear understanding of local airspace restrictions via briefing from map and briefing on operations at Toowoomba Wellcamp Airport.	up to date
lacksquare Obey all Australian Air Legislation, Airspace limitations and CASA/GA productions	cedures
lacksquare Undertake to follow our instructor's direction and limitations on your flight	nt.
☐ Be familiar with our Safety Management System particularly Chapter 1 St Operating Procedures	tandard
If intending to fly cross country and are unfamiliar with the Darling Down the outlanding articles at <a href="http://www.ddsc.org.au/member-information-coand">http://www.ddsc.org.au/member-information-coand</a> http://www.ddsc.org.au/documents/cross country resources/Initial%200	centre?id=183

## **Club Information and Procedures**

McCaffrey Field 1200 feet QNH

Lat: S27°20'57" Long: E151°30'50" Runway 12/30 1200x38m – Grass

CTAF: 126.7

Mobile: Refer Duty Instructor

- → Standard cross wind and left-hand circuits, unless operationally required.
- → Low tow preferred position for tow and release, RIGHT turn after release. High tow acceptable. Rope gone calls not required, release with rope under tension.

DDSC Document No 22 Visiting Pilots Sheet: Rev 2 Mar 2022

g%20Notes/Initial%20Cross%20Country%20Area.pdf



### **Australian towing emergency signals**

- On the ground "STOP! STOP! STOP!" and both arms raised -in glider, release immediately.
- In-flight tug rudder waggles do not release, but check airframe (airbrakes, flaps, etc).
- In-flight tug wing waggle release immediately.
- Hook up (release failure) fly out to left of tug in low tow until pilot acknowledges by hand wave, then return in low tow and then transition to high tow position. The tug pilot will ensure that you can glide to the airfield then release the rope. Land well up runway to avoid catching rope on crops or fences.

#### Rules of the air:

- Minimum distance from other aircraft 200 feet (70 metres) vertically & horizontally
- Oncoming traffic from opposite direction turn right.
- Oncoming traffic converging give way to the right.
- Overtaking on the right-hand side of the slower aircraft.
- Thermalling first aircraft in the thermal sets the direction of turn for joining aircraft.
- VFR/VMC rules apply. Cloud flying prohibited.

# **CTAF radio procedures**

If operating in the vicinity of any aerodrome, you must report position and intentions on the CTAF frequency. This is usually 126.7 unless otherwise published. (Refer listing on last page.)

The format for these CTAF calls is:

"(Aerodrome Name), traffic Glider (Call-sign) 10 miles (Direction) of (Aerodrome Name), Inbound ..or.. overflying for (Next turnpoint), left (Altitude) on descent."

Only one radio call is required for the circuit, with more calls made if there is other traffic. The following calls are recommended to be made in the circuit, downwind, base and final **ONLY** if required.

Examples		
Inbound	XXX traffic Glider Golf Mike Victor, ONE ZERO miles south west of Dalby, inbound for landing, left 3500 feet on descent	
Overflying	XXX traffic, Glider Golf Mike Victor, ONE ZERO miles south west of Dalby, overflying for Bell, left 5500 feet on descent	
Downwind	XXX traffic glider Golf Mike Victor turning downwind runway 12 Dalby	
Base	XXX traffic glider Golf Mike Victor turning base runway 12 Dalby	
Finals	XXX traffic glider Golf Mike Victor turning final runway 12 Dalby OR	
	XXX traffic glider Golf Mike Victor 3 mile final runway 12 Dalby	

DDSC Document No 22 Visiting Pilots Sheet: Rev 4 March 2024

Page 2 of 5



# Radio procedures when operating in the McCaffrey Airstrip area

All radio-equipped aircraft must monitor the frequency 126.7 and make CTAF broadcasts as they operate within the vicinity of the airstrip.

The following calls are recommended to be made in the circuit, downwind, base and final if required.

A taxiing call or entering runway call made by the tug pilot or self launcher pilot no requirement for separate glider call.	McCaffrey traffic, Pawnee SWR and glider on tow departing runway 12 McCaffrey
On approaching the aerodrome at about 10 NM (approx 18km) distance.	McCaffrey traffic glider Mike Victor ONE ZERO Miles to the west 2000ft descending for landing runway 12 McCaffrey
Joining cross wind	McCaffrey traffic glider Mike Victor joining crosswind for 12 McCaffrey
Joining circuit call, this would normally be done as the downwind leg is started if operationally required or cross wind leg not flown and consist of the following:	McCaffrey traffic glider Mike Victor turning downwind 12 McCaffrey
Calls shall be made on base leg or final if required to alert other traffic.	Glider Mike Victor turning base 12 McCaffrey Glider Mike Victor turning finals 12 McCaffrey OR Glider Mike Victor 3 mile final McCaffrey

It is important to listen out when operating around the DDSC circuit area, radio transmissions should be short and to the point. Non-essential transmissions should be kept to a minimum.

For non-essential transmissions between gliders switch to 122.7 when above 5000ft QNH

## <u> Airspace</u>

McCaffrey Field is located in a military restricted zone which is mostly de-active during the weekends. At other times, the airspace over McCaffrey is deactivated but the airspace to the north of the railway line (refer to maps!) is active and entering the airspace is not permitted. Please refer to the Instructors' instructions and information.

McCaffrey Field is located in a busy aviation environment with some RPT traffic and a large amount of general aviation traffic. Ensure you maintain a listening watch on the relevant radio frequency and constant lookout.

## Toowoomba Wellcamp Airport (YBWW)

Wellcamp Airport is located approximately 35km SE of McCaffrey. Rwy 12/30 almost directly in line with McCaffrey. The Duty Instructor will advise expected RPT traffic at daily briefing.

DDSC Document No 22 Visiting Pilots Sheet: Rev 4 March 2024



Flight Training Australia operate a large number of training aircraft from YBWW and significant radio traffic will be heard when they are in their training area (Darling Downs Broadcast Area) and on the general CTAF – Refer charts in Briefing Room.

Ensure you change to the relevant frequency when in the Darling Downs Broadcast Area (refer to maps)

# **Cross Country**

Mobile phone coverage can be patchy. OGN coverage is quite good for tracking gliders but the signal stops once you have outlanded.

Retrieves can sometimes be lengthy. Take a powerpack for your phone. Ensure you have plenty of water.

Maps are available from the clubhouse.

# Recommended SAR procedures for Outlanding

- 1. Broadcast intention to outland on glider frequency before landing.
- 2. Broadcast after landing to indicate safely on ground.
- 3. Use phone/SPOT to alert crew or club safely on ground.
- 4. If no phone signal send SMS.
- 5. Do not leave glider unless near a farmhouse or town.
- 6. If leaving glider take ELT, GPS, SPOT and water with you, write down lat/long of glider. Leave a note in glider with intentions and phone number.
- 7. If a long way from habitation do not leave glider
- 8. If out of communication broadcast on 121.5 (emergency frequency) the call is "any station XXX area glider XXX landed at XXX request assistance"
- 9. If no communication possible set off ELT at last light



Radio Frequencies, Runways and other Contacts				
Oakey approach		125.4		
Oakey ATIS		124.3		
Oakey clearance delivery		133.35		
Brisbane frequencies				
Brisbane centre- East of Dalby below 8500ft		121.2		
Brisbane centre- East of Dalby above 8500ft		135.6		
Brisbane centre- West of Dalby		123.95		
CTAF				
Dalby 13/31 04/22	Clifton 06/24			
Goondiwindi 22/04 12/30	Millmerran 12/30	126.7		
Tara 17/35	Pittsworth 02/20			
Chinchilla 13/31		126.35		
Kingaroy 16/34 05/23		127.45		
Miles 22/04		126.35		
Roma 18/36 09/27		126.95		
Darling Downs Broadcast Area. Toowoomba 11/29 Brisbane West Wellcamp 12/30 Oakey (Prior Permission Required)		127.65		
Warwick 09/27		127.85		
Gliding frequencies				
Darling downs		122.7		
North of Bunya mountains		122.9		
South of Pittsworth		122.5		
Club mobile		Refer Duty Instructor.		